


CHIORINO[®]
1906

Passion for belting

Your partner
for food safety

FXD[™]

Dual detectable food belts



X-Ray & Metal detectors



FXDTM X-Ray and Metal detectable belts

Chiorino **FXD**TM is the only range of food grade conveyor and process belts **detectable by both X-rays and Metal detectors**: the only product line on the market combining these features.

Thanks to the Chiorino engineered **FXD**TM TPU, the belt can be **identified in very small pieces** by the inspection systems used in food processing and packaging.

Where Foreign Material Contamination is a dangerous concern, Chiorino **FXD**TM is **the solution to minimize risk and to prevent costly products recalls**.



A unique solution

Chiorino **FXD**TM belts installed on production lines equipped with both **X-ray & Metal detectors** **reduce significantly** the risk of

Foreign Material Contamination originating accidentally from the belt, thus avoiding potential hazard to the consumer.



Production program

Conveyor belts

Code	Type	Material	Colour	Surface	Total thickness	Knife edge min. radius ⁽¹⁾	Min. pulley diameter ⁽¹⁾	Pull for 1% elongation	Temperature resistance °C	
					mm	mm	mm	N/mm	min.	max.
NA1590	1M5 U0-U2 FXD	TPU			0.75	4	8	5	-20	100
NA1598	1M5 U0-U2 FXD VL	TPU			0.75	4	8	5	-20	100
NA1606	1T6 U0-U2 FXD	TPU			0.80	4	8	6	-20	100
NA1591	2M5 U0-U2 FXD	TP			1.30	4	8	6	-20	100
NA1599	2M5 U0-U2 FXD VL	TPU			1.30	4	8	6	-20	100



NA2749	1M5 U0-U2 FXD AM	TPU			0.75	4	8	5	-20	100
NA2750	1M5 U0-U2 FXD VL AM	TPU			0.75	4	8	5	-20	100
NA2751	2M5 U0-U2 FXD AM	TPU			1.30	4	8	6	-20	100
NA2752	2M5 U0-U2 FXD VL AM	TPU			1.30	4	8	6	-20	100
NA2754	2M5 U0-U2 FXD AM blue	TPU			1.30	4	8	6	-20	100

FXD™ belts can be supplied with sealed edges.

Profiles / Guides

Code	Type	Material	Colour	Dimensions b x h mm	Base	Hardness Sh.	Min. pitch		Temperature resistance °C	
							long. mm	transv. mm	min.	max.
ES898	K6x4 U P FXD	TPU		6 x 4	flat	85	40	40	-20	60
ES948	K10 U P FXD	TPU		10 x 6	flat	85	40	40	-20	60
ES899	K13 U P FXD	TPU		13 x 8	flat	85	45	45	-20	60
ES883	T60 U FXD	TPU		20 x 60	flat	85	-	45	-20	60

⁽¹⁾ Minimum radius / pulley diameter is dependent on the joint recommended by Chiorino.

The technical data are valid under normal environmental conditions and are subject to change without notice.

Due to the variety of different worldwide regulations, the information in this catalogue are valid for Europe. For other geographical areas please contact our Sales Departments.



Certified Food Compliance

To protect Consumer's health, CHIORINO process and conveyor belts comply with the latest european and international Food Regulations:

REGULATION EC 1935/2004 and amendments

REGULATION EC 2023/2006 and amendments

REGULATION EU 10/2011 and amendments

FDA (Food and Drug Administration)



FXDTM AM

Antimicrobial version



Help preventing contamination Increase food safety & hygiene

Food industry is continuously establishing stricter hygiene standards to prevent contaminations by microorganisms that may cause serious foodborne diseases and costly product recalls.

Chiorino **HP[®] AM Antimicrobial** conveyor and process belts represent a breakthrough for food safety & hygiene.

The **HP[®] AM bacteriostatic action** prevents bacteria build-up on the belt surface by breaking the cycle of biofilm creation.

Chiorino **FXDTM AM** belts combine the **FXDTM dual detectability** with the **antimicrobial** properties of the Chiorino **HP[®] AM** line.

The result is the **ultimate food safety belt**.



Dual detectability

X-Ray & Metal detectors



Durable inhibition of biofilm growth

EC 1935/2004 & FDA food compliance



Preserve food quality

No contamination from the belt



VEGAN

V-Label certifies

Process and conveyor belts have been assessed and certified as meeting the requirements of:

The **V-Label Criteria for Vegan Products, Version 1, 07.11.2019**, for the products certified and licensed by V-Label.



Risk minimization

Acting before reacting



X-Ray



Metal



FXDTM

Chiorino unique solution



Dual detectability

X-Ray and Metal detectors

Chiorino **FXD**TM engineered solution



Detectable by X-Ray scanner



Detectable by Metal detector

Superior detectability



Prevent Foreign Material Contamination
Minimize risk of product recalls
Waste reduction

Total food compliance



Certified food safety

Antimicrobial version available also



Easier and more efficient spare parts management

Combined exclusive features



Optimized cost of ownership



Premium performances

Unique engineered polyurethane

Excellent resistance to:

- Chemicals & sanitization agents
- Fats and aggressive oils
- Mechanical stress caused by knife edges backflexing and scrapers



Total food safety



Easy to clean



Increased production efficiency



Long service life

HEADQUARTERS

CHIORINO S.p.A.

Via S. Agata, 9
I-13900 Biella, Italy

Tel. +39 015 8489 1
Fax +39 015 8489 161

chiorino@chiorino.com
www.chiorino.com



CHIORINO GROUP

America

CHIORINO AMERICA Inc.
Suwanee, GA
Tel. +1-302-292-1906
info@chiorino.us

SAFARI BELTING SYSTEMS, Inc.
Olathe, KS
Tel. +1-888-662-6611
info@safaribelting.com

Australia

CHIORINO AUSTRALIA Pty. Ltd.
Brisbane
Tel. +61-7-32741900
sales@chiorino.com.au

Benelux

CHIORINO BENELUX B.v.
Houten - The Netherlands
Tel. +31-302-413-060
chiorino@chiorino.nl

Czech Republic

REKO s.r.o.
Jaromer
Tel. +420-491-840012
info@reko-sro.cz

France

CHIORINO SAS
Lagny, Paris
Tel. +33-1-64304075
chiorino.paris@chiorino.fr

Germany

CHIORINO GmbH
Mainz
Tel. +49-(0)6131-55449-0
info@chiorino.de

Hungary

CHIORINO Kft.
Szigetszentmiklós, Budapest
Tel. +36-24-525930
mail@chiorino.hu

India

FRANSTEK BELTS PRIVATE Ltd.
Salcete Goa
Tel. +91 93709 18733
info@chiorino.in

Italy

CHIORINO PARMA s.r.l.
Parma plant
Tel. +39-0521-292236
chiorinoparma@chiorino.com

CHIORINO VENETO s.r.l.
Colle Umberto (TV)
Tel. +39-0438-430460
chiorinoveneto@chiorino.com

Poland

CHIORINO Sp. z o.o. Bydgoszcz
Tel. +48-(0)52-3487708
chiorino@chiorino.com.pl

Portugal

CHIORINO PORTUGAL, Lda
Alfena Valongo, Porto
Tel. +351-229684442
geral@chiorino.pt

Romania

CHIORINO srl
Sannicoara, Jud.Cluj Napoca
Tel. +40-264-432977
chiorino@chiorino.ro

Slovakia

CHIORINO SLOVAKIA s.r.o.
Nové Zámky
Tel. +421-910-486654
info@chiorino.sk

South Africa

CHIORINO SOUTH AFRICA Pty. Ltd.
Johannesburg
Tel. +27-11-3971268
sales@chiorino.co.za

Spain

CHIORINO IBERICA S.A.
Rubí, Barcelona
Tel. +34-93-5860480
chiorino@chiorino.es

Switzerland

CHIORINO SCHWEIZ GmbH
Wetzikon
Tel. +41-(0)43-3116001
info@chiorino.ch

Türkiye

ZİLİGEN BT KONVEYÖR BANT
Istanbul
Tel. +90-216-671 11 90
info@ziligen.com

Ukraine

CHIORINO UKRAINE LLC
Poltava region,
Shcherbani village
Tel. +38-050806560
office@chiorino.com.ua

United Kingdom

CHIORINO U.K. Ltd.
Glasshoughton
Tel. +44-1977-691880
sales@chiorino.co.uk

Chiorino operates all over the world through the Group companies and more than 100 distributors.

More info on www.chiorino.com



Customer
proximity



Engineering
consultancy



Quick
delivery



24/7
On-Site Fitting
& Assistance

